# **1450** SERIES

Stabicraft's 1450 Frontier pays homage to one of the most successful and versatile boats in Stabicraft's history – 1410. The 1450, however, is more exceptional than its predecessor. From family, diving, fishing, and adventure, you can do it all. It is the most well-appointed sub-5-meter open boat in its class. An absolute beast of a boat with lots of storage, the sides are high enough to lean against and wide enough to sit on. Built tough and very stable.

FICRAF





	_	-	_	_	_
_	4 - 11		- 1	-	- 1
			1.1	-	1.1
					90

FRONTIER



Sic Sic	le Helm Console Windscreen Starboard		Optional	•
<b>B</b> Sid	de Helm Console Windscreen Port			Optional
	le Helm Console Powder Coated (Black) Starboard		•	•
Sic Sic	le Helm Console Powder Coated (Black) Port			Optional
Ca	ble Steer with Gussi Soft Touch Wheel		•	•
70	I Split Lid Ippy Tak with Daddad lid	Ontional	•	•
	I Split Lid Icey-Tek with Padded lid	Optional	•	•
	ipper Seat & Swivel on Cantilever Starboard		•	
Yol Split Lid Icey-lek with Padded lid   Skipper Seat & Swivel on Cantilever Starboard   Skipper Seat & Swivel on Cantilever Port   Fish Pro Seating Starboard   Tick Packarting Packart				Optional
			Optional	Optional
Fis	sh Pro Seating Port			Optional
Ser Bro	oadhead Wing Style Coamings	•	•	•
	w Seating Area	•	•	•
	aximised Width 4mm Tread Plate Floor	•	•	•
· · · · · · · · · · · · · · · · · · ·	weling Rod-holder Sockets x4 in Bow	•	•	•
	ised Anchor Bulkhead	•	•	•
Ra	ised Casting Platform over Anchor Well	•	•	•
	abi® Cleats x3	•	•	•
4x	Rod-holders in Aft Coamings Powder Coated	•	•	
	Multi-holders in Aft Coamings	•	•	•
_	It in Seating Plank	•		
	movable Bait Board (Railblazer)	Optional	Optional	•
Up	grade to Stainless Steel Rod-holders	·	·	•
Ke	el Wear Strip	Optional	Optional	Optional
Bo	at Catch Block	Optional	Optional	Optional
U-I	Dek Flooring & Coamings	Optional	Optional	Optional
_				
$\geq$ $\frac{\mathrm{Tra}}{2}$	ansducer Brackets, Starboard	•	•	•
	arding Step Starboard	Optional	•	•
	arding Step Port	Optional	Optional	•
-	ised Transom		•	•
Bo	lt on Live Bait Tank		Optional	Optional
<b>~</b> 3m	nm Arrow Pontoons	•	•	•
	w Rails	•	•	•
Clo	sed Cell Baffling - NZ	Optional	Optional	Optional
Clo	sed Cell Baffling - AU/USA/NC/SCANDINAVIA	•	•	•
	ectric Trolling Motor Mount (Suits 54" Terrova)	Optional	Optional	Optional
	age 1 - Belting Up Gloss	Optional	Optional	•
Sta	age 1 - Belting Up Metallic	Optional	Optional	Optional
Sta	age 2 - Belting Up & External Pontoons Gloss	Optional	Optional	Optional
Sta	age 2 - Belting Up & External Pontoons Metallic	Optional	Optional	Optional
Sta	abicraft® Graphics Package	•	•	•

KEY: blank space "Not Available"









www.stabicraft.com 345 Bluff Highway, Invercargill. New Zealand. Phone: 0064 3 211 1828 Email: enquiries@stabicraft.com



# **AVAILABLE PACKAGES**

## EXPLORER

The 1450 Explorer is a longer, wider and more solid version of its predecessor. It still gives you flexibility with a spacious tiller steer setup and added features like the forward seating, alloy rodholders and Stabicraft<sup>®</sup> Multiholders as standard. It is the most well-appointed sub 5 meter open boat in its class.



### FRONTIER Sportfish

The 1450 Frontier Sportfish comes with a side console and upholstered seat as standard as well as the ever-reliable 70L lcey-Tek chilly bin.

With options like a bolt on live bait tank and removable baitboard the 1450 Frontier Sportfish means you have all the basics for chasing down your favourite fish



### FRONTIER PROFISH

The 1450 Frontier Profish is a serious step up from the Sportfish version with additional stainless steel rodholders, belting up paint, dash windscreen and dual boarding platforms all as standard features. Coupled with optional features like port side dash and Fish Pro seats the 1450 Frontier Profish is ready to compete with much larger boats (and much larger fish).



NZ. Des. Reg. No. 427187, AUS Des. Reg. No. 2020146770, CN Des. Reg. No. 06335510S IMPORTANT NOTE: Specifications, features and images of boats displayed on this brochure may be updated at any time, at Stabicraft's sole discretion. For the most accurate and up-to-date information about a particular boat, please contact an authorised Stabicraft dealer. \*NOTE: Some images above show optional extras





4.42m (14.5ft)

SPECIFICATIONS

..89m [75.7"]

Length Metric (feet) 4.42m (14.5ft) Max Persons 4 Maximum HP EX 40hp / FT 50hp Leg Length 20" Fuel Tank Tote Tank External Beam 1.89m (75.7") Internal Beam 1.35m (53.3") Deadrise 15° 3mm (0.118") **Tube Thickness** Hull Thickness 4mm (0.157") Dry Hull Weight EX 277kg / FT 302kg Dry Hull Weight (USA) EX 654lbs / FT 709lbs Tow Weight (approx) EX 667kg / 1470lbs Tow Weight (approx) FT 732kg / 1613lbs 5.9m (19'4") Length on trailer Boat Height (approx) EX 1.04m (3'4") Boat Height (approx) FT 1.41m (4'6") 960L/253.6gal **Total Sealed Volume** Australian Builders Plate (AUS only) US Coastguard ABYC (USA only) 

www.gfabtrailers.com

ADVENTURE WITH CONFIDENCE

STA

**GFAB**TRAILERS