# **Z350** ULTRAGAB WALK-THRU

#### DESIGNED TO ELEVATE YOUR OFFSHORE ADVENTURES TO NEW HEIGHTS!

The new 2350 Ultracab" WT from Stabicraft® is an exciting addition to the 2350 range, built on the same offshore-proven performance hull as the 2350 Supercab. It features unparalleled bow access via an innovative central door, and offers a wide array of cabin and deck accessories resulting in a highly versatile 7m platform that reflects Stabicraft's® commitment to innovation and capability.





#### **UNMATCHED BOW ACCESS**

The 2350 Ultracab<sup>™</sup> WT offers unparalleled access to the bow. No other full-cabin trailer boat on the market provides such easy and fluid access to the bow deck while still maintaining a full-volume cabin with a functional V-berth in the forward section—without compromising ergonomics. The door practically disappears when opened, allowing unimpeded, natural-feeling use of the bow deck for loading and unloading cargo or passengers while nosed onto a beach. On hot days, the front door can be opened for ventilation while underway, and passengers can enjoy the additional space that the bow deck provides for fishing, sightseeing, or simply relaxing.



#### VERSATILE ITERIOR APPOINTMENTS

The 2350 Ultracab<sup>®</sup> WT features improved interior appointments with a range of furniture options tailored to different usage needs. The default seating is now blade-style, which frees up ample space for additional cargo. Both front seats can be upgraded to heavy-duty mechanical suspension for enhanced comfort. For those seeking overnighting conveniences, the new folding table with port-side saloon seating sits over a cabinet-style fridge, while the starboard side can be converted into a galley with a sink and freshwater supply over a 12V oven. The sleeper seat box options have also been upgraded, with available fridge and electric oven options. Additionally, a rearfacing storage seat option is available—a modern take on the King/Queen configuration—providing a comfortable spot to watch your lures for action.



#### **TRANSOM OPTIONS GALORE**

Customizable Fish Deck Configurations

The 2350 Ultracab<sup>™</sup> WT offers an extensive range of fish deck setup options to suit your fishing style, regardless of the species you intend to target. Choose between two rear wall configurations: a fully opening bifold door or a single-door sealed bulkhead. For example, this could allow you to tailor the boat for cold-climate salmon trolling with an aft helm station or for warm-climate fishing with the doors wide open. Additional options include downrigger or electric reel plugs integrated into the coamings, along with the full selection of 2350 transom configurations—as found in the Supercab and Ultra Centrecab—including transom cages.

#### SPECIFICATIONS

| Hull Length                 | 7.17m (23.5ft)                |
|-----------------------------|-------------------------------|
| Beam Width                  | 2.55m* (100.3in)*             |
| Boat Height Min/Max         | 2.55m/2.60m (100.3in/102.5in) |
| Dry Hull Weight             | 1740kg** (3836lb)**           |
| Maximum Persons             | 8                             |
| Maximum HP Limit            | 350hp                         |
| Min Recommended HP          | 225hp                         |
| Motor Leg Length            | 25in/30in/25in Trimount       |
| Max Aux Motor HP            | 15hp                          |
| Internal Beam               | 1.97m (77.6in)                |
| Internal Gunnel Height AFT  | 814mm (32.0in)                |
| Outside Chine Width         | 2.36m (92.9in)                |
| Deadrise AFT                | 17deg                         |
| Life Ring Thickness         | 4mm + 4mm (0.16in + 0.16in)   |
| Hull Thickness              | 6mm (0.24in)                  |
| Fuel Tank Capacity          | 400L (106gal)                 |
| Total Sealed Chamber Volume | 1870L (66.0ft3)               |
| Life Ring Chamber Volume    | 1215L (42.9ft3)               |

\* Beam Width is 2.50m/98.5 in Australian market only, all other markets is as listed. \*\*The recorded weight is a guideline. Actual dry weight will vary boat by boat dependent on the package selected and additional options included.

### **STANDARD**

Lean forward windscreen with walkthru bow access door Ultracab WT cabin - powder coated spica pearl grey Ultracab WT roof with internal grab rail Blade style bow rail Hydraulic steering Wiring loom with 2x 8-channel switches Dual deck lights Navigation lights Twin windscreen wipers with washers Cabin lighting Elite bolster seats Gamechaser trimount transom (twin 25in or single 30in) Pull out transom seats Washdown pump with through hull pickup Battery cover in transom with switch mount panel Arrow pontoon 6mm hull Heavy duty towing eye 400L/106Gal. EPA compliant underfloor fuel tank Battery storage tray Wing style coamings 6x stainless steel rod holders and 4x multi-holders in gunnel tops Self draining bow deck EVA foam on gunnels, walkaround, bow deck & transom steps Rivet on coaming fendering

2350 Ultracab WT graphics kit





## ADVENTURE

Boasts all the essential features for safe and functional boating while allowing you the freedom to customize comfort options to your preference. As an unpainted, entry-level package, it embraces a minimalist approach—making it an ideal choice for a rugged workboat while still offering a practical set of core components. The Adventure package delivers outstanding value, incorporating key features such as a locking front bow access door, dual wipers, a two-rung boarding ladder, fish deck lighting, a blade-style bow rail, a fully welded tread plate floor, and EVA decking on the coaming tops and front deck. There's ample space for stowing cooler bins and maximizing cabin storage for additional gear.



### SPORTFISH


The Sportfish package brings together the most sought-after features typically chosen for a 7m+ cabin boat. It builds upon the essentials of the Adventure package, adding extra comfort and functionality for an enhanced on-water experience. Beneath the bow deck, a cleverly designed V-berth extends to full length, offering impressive versatility not offered in any other bow-deck cabin boat of this size. The cabin is lined with EVA foam for added comfort, while fold-down passenger seating accommodates up to four additional adults warm and dry inside the included canvas rear wall. At the helm, Elite bolster seats are mounted on heavy-duty suspension units, ensuring a smooth and comfortable ride when it chops up.



### PROFISH

The Profish model incorporates the most sought-after creature comforts. For a quieter ride, the life-ring is equipped with closed-cell baffling to minimize noise. The fully welded floor is appointed with 6mm EVA decking, available in four color options, providing both softness underfoot and thermal insulation. At the transom, two blue underwater lights bring the fish to the surface, while complimentary blue-toned courtesy lights are discreetly placed within the coaming pockets and front deck for enhanced ambience. The audio system receives a significant upgrade with the premium Fusion RA670 stereo, accompanied by four high-quality speakers. Powder-coated bow rail and handrails to match the cabin.







| PACKA | <b>HES</b> |
|-------|------------|
|-------|------------|

#### ADVENTURE SPORTFISH PROFISH

| ×                 | EVA foam lining in V-berth   | Optional             | Optional             | Optional             |
|-------------------|--|----------------------|----------------------|----------------------|
| CABIN/<br>Console | Canvas drop curtain on cabin aft   | Optional             | •                    | •                    |
|                   | Diesel heater cabin, 4Kw in port side gunnel   | Optional             | Optional             | Optional             |
| <b>AN</b>         | Downrigger provision port & stbd with plugs/breakers & stiffening plates   | Optional             | Optional             | Optional             |
| 08                | Electric toilet system in forward v-berth with 29L holding tank system   | Optional<br>Optional | Optional             | Optional<br>Optional |
| <b>ں</b>          | Electric toilet system in forward v-berth without holding tank (market restrictions) EVA foam internal cabin side lining                       | Optional<br>Optional | Optional             | Optional<br>•        |
|                   | Footrest with cargo zone   | optional             | Optional             | Optional             |
|                   | Lighting, LED, additional ambient in gunnels & cabin   | Optional             | Optional             | •                    |
|                   | No steering system supplied, steering wheel only   | Optional             | Optional             | Optional             |
|                   | Portable toilet with mounting bracket in forward V-berth   | Optional             | Optional             | Optional             |
|                   | Radar mounting bracket   | Optional             | Optional             | Optional             |
|                   | Rear wall with centrally located locking French doors  | Optional             | Optional             | Optional             |
|                   | Stereo - Fusion RA210 with 2x 200w speakers in cabin - installed   | Optional             | •                    | Optional             |
|                   | Stereo - Fusion RA670 with 2x 200w speakers in cabin & 2x speakers external - installed  | Optional<br>Optional | Optional<br>•        | •                    |
|                   | V-berth with storage cubbies and fold down extensions - spica pearl powder coat finish   | Optional             | •                    | •                    |
|                   | 70L split lid Icey Tek cooler, port side, I/h opening with 2x Stabicraft™ cushions attached  | Optional             | Optional             | Optional             |
|                   | 70L split lid leey Tek cooler, stbd side, r/h opening with 2x Stabicraft <sup>™</sup> cushions attached  | Optional             | Optional             | Optional             |
| Ê                 | Blade style seat base for helm seat - Starboard  | •                    | Optional             | Optional             |
| SEATING           | Blade style seat base for passenger seat - Port  | •                    | Optional             | Optional             |
| Ц.                | Cabin seating, fold-away - Portside  | Optional             | Optional             | Optional             |
| 0,                | Cabin seating, fold-away - Starboard side  | Optional             | Optional             | Optional             |
|                   | Cabin seating, storage box - Portside  | Optional             | Optional             | Optional             |
|                   | Cabin seating, storage box - Starboard   | Optional             | Optional             | Optional             |
|                   | Port secondary seat box with 12V travel oven & fridge  | Optional             | Optional             | Optional             |
|                   | Starboard secondary seat box with 12V travel oven & fridge   | Optional<br>Optional | Optional             | Optional             |
|                   | Suspension upgrade with storage plinth for helm seat - Starboard   | Optional<br>Optional | •                    | •                    |
|                   | Suspension upgrade with storage plinth for passenger seat - Port   | optional             | •                    | •                    |
| _                 | 70L split lid Icey Tek cooler stowed in transom centre, I/h opening  | Optional             | Optional             | Optional             |
| 2                 | Additional raised rigging compartment with front access hatch  | Optional             | Optional             | Optional             |
| TRANSOM           | Auxiliary/kicker motor bracket port (max 15hp)   | Optional             | Optional             | Optional             |
| Z                 | Superfish transom with top mounted live bait tank, leader spools & drawer  | Optional             | •                    | •                    |
|                   | Game fishing transom with live bait tank and 2x lockable drawers   | Optional             | Optional             | Optional             |
|                   | Game fishing transom with live bait tank, 2x 6in tuna tubes and 2x lockable drawers  | Optional             | Optional             | Optional             |
|                   | Insulated fish box, 3/4 width, with live well provision (excluding pump) Insulated fish box, central with live well provision (excluding pump) | Optional             | Optional<br>Optional | Optional<br>Optional |
|                   | Livewell system upgrade for insulated fish box options - 3/4 & central   | Optional             | Optional             | Optional             |
|                   | Lenco trim tabs 12in x 4in - installed   | Optional             | Optional             | Optional             |
|                   | Removable transom walk-through gate - Starboard only   | Optional             | Optional             | Optional             |
|                   | Removable transom walk-through gates - Port & Starboard pair   | Optional             | Optional             | Optional             |
|                   | Transom cage stbd with boarding ladder and rails, port auxiliary bracket & powder coat rails   | Optional             | Optional             | Optional             |
|                   | Transom cages with low rails, dual boarding ladders & spica pearl powder coat finish rails   | Optional             | Optional             | Optional             |
|                   | Transom cages, port & stbd with dual boarding ladders & spica pearl powder coat finish rails   | Optional             | Optional             | Optional             |
|                   | Underwater LED lights, blue/white x2   | Optional             | Optional             | •                    |
|                   | Zipwake KB300s 300mm auto-trim control system - installed  | Optional             | Optional             | Optional             |
| ~ ~~~             | Boatcatch mounting provision welded to bow   | Optional             | Optional             | Optional             |
| 38                | Closed cell baffling in life ring  | Optional             | Optional             | •                    |
| HULL              | EVA decking on floor (selectable colour)   | N/A                  | Optional             | •                    |
|                   | Keel line wear strip upgrade   | Optional             | Optional             | Optional             |
| <b>.</b>          |  |                      |                      |                      |
|                   |  | 0                    |                      |                      |
| COAMINGS          | Anchor - Sarca #3 (9kg)  | Optional             | Optional             | Optional<br>Optional |
| ப்                | Bow ladder retractable, Starboard  | Optional             | Optional<br>Optional | Optional<br>•        |
| $\leq$            | Bow, roof and boarding ladder rails - upgrade to spica pearl powder coat finish Gunnel dive door on starboard side                             | Optional<br>Optional | Optional             | Optional             |
| $\geq$            | Drum winch with 100m of braid & 10m of 8mm chain & swivel  | Optional             | Optional             | •                    |
|                   | Electric trolling motor mount port side bow  | Optional             | Optional             | Optional             |
| <u>ີ</u>          | EVA foam fishing deck gunnel pocket liners   | Optional             | Optional             | •                    |
|                   | 360° Exploding Fish upgrade with 4x 30° rotating and 2x aft 30° fixed rod holders  | Optional             | Optional             | Optional             |
|                   | Handrails on aft gunnel tops - Alloy finish  | Optional             | Optional             | N/A                  |
|                   | Handrails on aft gunnel tops - Spica pearl powder coat finish  | Optional             | Optional             | Optional             |
|                   | Bow thruster tube welded provision (125mm diameter)  | Optional             | Optional             | Optional             |
|                   | Light bar LED installed in bow rail  | Optional             | Optional             | •                    |
|                   | Stage 1 - Belting up gloss with coaming fendering  | Optional             | •                    | N/A                  |
| PAINT             | Stage 1 - Belting up gloss with coaming rendering Stage 1 - Belting up metallic with coaming fendering   | Optional             | •<br>Optional        | N/A N/A              |
|                   | Stage 2 - Belting up Metanic with coarning rendering<br>Stage 2 - Belting up & external pontoon gloss with coarning & extrusion fendering      | Optional             | Optional             | N/A                  |
| 2                 | Stage 2 - Belting up & external pontoons metallic with coaming & extrusion fendering   | Optional             | Optional             | Optional             |
|                   | Stage 3 - Full gloss, epoxy int pontoons & walkaround with coaming & extrusion fendering   | N/A                  | Optional             | Optional             |
|                   | Stage 3 - Full metallic, epoxy int pontoons & walkaround with coaming & extrusion fendering  | N/A                  | Optional             | Optional             |
|                   | TE. Specifications features and images of beats displayed on this brachure may be undated at any time.   |                      | N/A pot ava          | ilable • Standard    |

IMPORTANT NOTE: Specifications, features and images of boats displayed on this brochure may be updated at any time, at Stabicraft's sole discretion. For the most accurate and up-to-date information about a particular boat, please contact an authorised Stabicraft dealer. \*NOTE: Some images above show optional extras. N/A not available • Standard

www.stabicraft.com

